

MOI-DP1-COMM4

1 decora duplex receptacle and 4 openings for COMM jacks
(openings suitable for all manufacturers Keystone style jacks)

NOTE:

Duplex receptacle shall be 5-15R, 5-20RA available
Keystone style jacks shall be CSA / UL Recognized or Listed

ORDERING INFO

SLAB THICKNESS _____ inches

RECEPT. type 20A

FINISH type brass

stainless steel

blk powder coat
(drop cover only)

COVER type drop

threaded coin

threaded security

hinged


		DIMENSIONS ARE IN MM TOLERANCES: ANGLES: ± 1 DEGREE LINEAR: ± 0.1 MM (UNLESS SPECIFIED)			JOB TITLE: DRAWN TJP 12-04-24 CHECKED ENG. APPR. MFG APPR. Q.A.
			MATERIAL	See Varient table	
			FINISH		
NEXT ASST	USED ON				
			APPLICATION	DO NOT SCALE DRAWING	

SIZE A	DWG. NO. MOI-DP1-COMM4	REV. R7
SCALE=N.T.S.	WEIGHT:	SHEET 1 OF 3



877-537-2019 www.lewelectric.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
MULTICONNECT. ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF MULTICONNECT
IS PROHIBITED.



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
MULTICONNECT. ANY REPRODUCTION IN
PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF MULTICONNECT
IS PROHIBITED.

		DIMENSIONS ARE IN MM TOLERANCES: ANGLES: ± 1 DEGREE LINEAR: ± 0.1 MM (UNLESS SPECIFIED)	MATERIAL See Variant table	FINISH	NAME TJP DATE (yy-mm-dd) 12-04-24	JOB TITLE:				
DRAWN	CHECKED									
ENG. APPR.	MFG APPR.									
Q.A.	COMMENTS:									
NEXT ASST	USED ON									
APPLICATION		DO NOT SCALE DRAWING								


L **LEW ELECTRIC**
FITTINGS COMPANY

877-537-2019 www.lewelectric.com

SIZE **A** DWG. NO. **MOI-DP1-COMM4** REV. **R6**

SCALE **N.T.S.** WEIGHT: SHEET 3 OF 3

COVER PER SUBMITTAL



-COMM jacks shall be CSA / UL Recognized or Listed, Keystone style to mount in comm. openings.

STANDARD LENGTHS
8", 10" & 12"

FITS STANDARD 4" CORED HOLE